

**Maternity
and Neonatal**

Preterm Perinatal Optimisation Passport

Date & time of birth: _____ : _____ : _____
 Gestation: _____ Time of Admission to NNU: _____ : _____ : _____
 Type of birth: _____ Birth Weight: _____ g

Name: _____
 DOB: _____
 Hosp No: _____
 NHS No: _____
 (Affix patient sticker here)

To be completed for all births <34/40 and must accompany the baby on transfer to NNU



All singleton infants less than 27 weeks of gestation or less than 800g and all multiples less than 28 weeks of gestation should be born in a maternity service on the same site as a NICU

Born in a maternity centre with a NICU?
Yes / No

If not, why was intrauterine transfer not achieved?



All women giving birth less than 34 weeks of gestation, should receive a full course of antenatal steroids no longer than 7 days prior to birth, and ideally within 24-48 hours

Full course given (2 doses ideally 24hrs apart) Yes/No

Date and time of first dose: ___/___/___, ___:___

Date and time of last dose: ___/___/___, ___:___

If steroids not given reason why.



All women giving birth less than 30 weeks of gestation, should receive antenatal magnesium sulphate within the 24 hours prior to birth

Given within 24 hours of delivery: Yes / No

Reason for not giving:



All women in established preterm labour less than 34 weeks of gestation should receive intrapartum antibiotics prophylaxis at least 4 hours before birth

IV Intrapartum antibiotics given: Yes/No/Not in labour

Date and time of first dose:

___/___/___ ___:___

If antibiotics not given reason why.



All eligible babies less than 34 weeks gestational age should not have their umbilical cord clamped for at least 60 seconds after birth

Duration of optimal cord management: ___:___

If no optimal cord management, reason why:



All eligible babies less than 34 weeks gestational age should have a first temperature on admission between 36.5 - 37.5°C and measured within an hour of birth

Admission temp: _____ Time taken: ___:___

If temp not taken within the hour or if below 36.5 / above 37.5 reason why:



All babies less than 34 weeks gestational age should receive maternal breast milk with 24 hours of birth

Time baby first received breast milk: ___:___

First milk given: Buccal/mouth care/tube feed/suckle

If milk not given within 24hrs reason why:



Ensure Caffeine is started within 24 hours of birth for all babies born at <30+0 weeks gestation

Date and time first dose of caffeine given:

___/___/___ ___:___

If caffeine not given, reason why: